



Matte Inks and Coatings

Conventional Screen Printing

Always test ink on substrate prior to production run. Please refer to the MSDS for safety precautions.

Description: Deco-Chem's Conventional Matte Inks and Coatings are tough, low-odor inks and coatings specially formulated so that the printed film become completely dry after controlled exposure to jet drying or baking conditions. The smooth, light consistency allows a clean cutting action during the squeegee traverse. Ease of application is also one of the most distinctive characteristics of our Conventional Matte Inks and Coatings.

- Qualities:**
- Tough
 - Automotive Approved
 - Low Odor
 - Exterior Grade
 - Ease of Application
 - Flexibility
- Substrates:**
- Polycarbonates
 - Other Plastics
 - Vinyls
 - Metals
 - Styrene Noryl
 - Glass

Coverage: 1,200 - 1,500 sq/ft. per gallon depending on ink deposit

Screen: 200 - 390 Mesh recommended for most applications.

Cure Parameters: For air dry, they will dry in 4 to 20 minutes depending on racking procedure and shop conditions. For bake dry, They will dry at 240 - 450 degree F for 1 - 30 minutes

Additives: ATX94 and MBI94 Thinner, ATX95 and MBI95 Retarder

Cleaner: ATX96 Washup for best results.

Storage: Store tightly shut in a cool, dry, and dark place for maximum shelf life for 6-12 months.

Sizes: 1 Gallon, 5 Gallon Pail, 30 Gallon Drum, 55 Gallon Drum

Related Products:	3980	Super Opaque Black Matte
	4895	Matte Clear
	7313	Matte Clear
	7459	Matte Black Texture O.B.
	7600	Matte White
	7606	Matte White
	7630	Matte Black
	7650	Matte Clear

If our current line of colors, finishes, or textures does not meet your needs-
Contact us today about tailoring a product for you!

The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on present knowledge and believe to be accurate. Information is based on technical data which the Seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement might change the information contained in this product information sheet and users are requested to ensure that they follow current recommendations.

