



Anti-Graffiti Clear

6072

Always test ink on substrate prior to production run. Please refer to the MSDS for safety precautions.

Description: This product is a 100% solids material comprised of acrylated oligomers, monomers, along with initiators and additives. The cured coating is flexible while maintaining good surface hardness, contributing to good abrasion resistance. This non-yellowing coating also has outstanding exterior durability.

Qualities: • Clear/Non-Yellowing • NPV Free • Flexible • Exterior
Durability • Excellent Chemical Resistant • Excellent Surface Hardness

Substrates: • Styrene • Acrylic • Polyester
• Polycarbonates • ABS • Vinyl
• Primed Metal

Stencil: Use a Lacquer Proof or Direct Emulsion Film, Photographic, or Water-soluble Hand-cut Stencils

Coverage: 2,500-4,000 sq/ft. per gallon depending on ink deposit

Screen: 300 - 500 Mesh recommended for most applications.

Cure Parameters: The curing cycle depends on the UV reactor being used and the substrate upon which the coating is being applied. The coating works well when cured with one 300 watt/inch medium pressure mercury vapor bulb at a cure speed of 60 feet per minute.

Additives: 6743 Thinner and 7197 Deco Graffiti Remover

Cleaner: 3883 Deco Wash

Storage: Store tightly shut in a cool, dry, and dark place for maximum shelf life for 6-12 months.

Sizes: Gallon, 5 Gallon Pail, 30 Gallon Drum, 55 Gallon Drum

Related Products:

If our current line of colors, finishes, or textures does not meet your needs-
Contact us today about tailoring a product for you!

The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on present knowledge and believe to be accurate. Information is based on technical data which the Seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement might change the information contained in this product information sheet and users are requested to ensure that they follow current recommendations.

