



Anti-Skid Urethane Clear 7759

Anti-Skid 2-Part Urethane Ink

Always test ink on substrate prior to production run. Please refer to the MSDS for safety precautions.

Description: This 2-Part Anti-Skid Urethane provides a slip resistant surface for interior use. The ink is an excellent chemical resistant. It also provides excellent surface bonding. In most cases Anti-Skid Urethane Clear can be applied directly to the surface. Simple to use, just mix and apply. Make sure that the surface is well prepared before apply.

Qualities:

- Excellent Slip Resistant
- Excellent Interior Durability
- Ease of Application
- Excellent Surface Bonding
- Excellent Chemical Resistant
- Excellent Adhesion

Substrates:

- Metals
- Plastics
- Card Stock
- Paper

Stencil: Use a Lacquer Proof or Direct Emulsion Film, Photographic, or Water-soluble Hand-cut Stencils

Coverage: 400-500 sq/ft. per gallon depending on ink deposit

Screen: 65 Mesh recommended for most applications

Cure Parameters: Air dry 4 to 20 Minutes depending on racking procedure and shop conditions. Proper air flow through the rack maximize air drying. Jet dry may be achieved at 120 to 150 F in seconds depending on ink deposit.

Additives: Urethane-2 Thinner 94 and Urethane-2 Retarder 95

Cleaner: Deco-Chem 96 Screen Wash

Storage: Store tightly shut in a cool, dry, and dark place for maximum shelf life for 6-12 months.

Sizes: Gallon, 5 Gallon Pail, 30 Gallon Drum, 55 Gallon Drum

Related Products:

If our current line of colors, finishes, or textures does not meet your needs-
Contact us today about tailoring a product for you!

The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on present knowledge and believe to be accurate. Information is based on technical data which the Seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement might change the information contained in this product information sheet and users are requested to ensure that they follow current recommendations.

