



# Bubble Breaker 2032

Specialty Ink Additive  
**CONVENTIONAL**

Always test ink on substrate prior to production run. Please refer to the MSDS for safety precautions.

**Description:** Bubble Breaker 2032 breaks bubbles, improves flow, and aids in the evaporation of solvent from ink or paint film. When the Bubble Breaker is added to an ink, it becomes completely distributed throughout the applied ink film. Therefore, it works from the bottom up to release any residual air from the film. It demonstrates profound effectiveness in alkyd, vinyl, and epoxy systems. Substantial effect may be seen in other systems as well.

**Features:**

- Air Release
- Improves Flow
- Speeds Up the Evaporation
- Ease of Application
- Compatible with most of Deco-Chem's Inks

**Mixing:** A suggested concentration is .5% to 1 % by weight, or about 3 tablespoons of the Bubble Breaker 2032 per gallon of ink. In some systems only 0.1 % is needed for sufficient flow.

**Storage:** Ink should be stored in a metal container at room temperature (75°F). Inks previously used for printing runs should be stored in a separate container to avoid cross contamination. Ink has a minimum shelf life of 6 months from date of manufacture if the above guidelines are followed and there has been nothing added to the ink.

**Sizes:** 1 and 5 Gallon Pails or 30 or 55 Gallon Drums Available

Contact us today for a current product list and about customizing an ink's look, feel or texture just for you.

*The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on present knowledge and believed to be accurate. Information is based on technical data which the Seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice, or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement may change the information contained in this product information sheet. Users are requested to ensure that they follow current recommendations.*